

For distribution and use only in the following counties within New York State: Columbia, Dutchess, Monroe, Orange, Orleans, Ulster, and Wayne under an Emergency Exemption authorized under Section 18 of FIFRA

All applicable directions, restrictions, and precautions on the EPA registered product label as well as those on these directions for use must be followed. These directions for use must be in the possession of the user at the time of pesticide application.

Product: Bifenture® EC Agricultural Insecticide (EPA Reg. No. 70506-57)

ACCEPTED

JUNE 29, 2017

Firm Name: United Phosphorus, Inc.
630 Freedom Business Center, Suite 402
King of Prussia, PA 19406

New York State Department
of Environmental Conservation
Division of Materials Management
Pesticide Product Registration

Crop/Site/Commodity: Apple, Peach and Nectarine

DOC ID 551999

File Symbol: **17-NY-01** (apple), **17-NY-02** (peach), **17-NY-03** (nectarine)

Classified for
“RESTRICTED USE”
in New York State
under 6NYCRR Part 326

Target Pest/Problem: Brown Marmorated Stink Bug (*Halyomorpha halys*)

Dosage: Apply 5.12 – 12.8 fl ozs (0.08-0.20 lbs ai) per acre of **Bifenture EC Agricultural Insecticide** (EPA Reg. No. 70506-57). Use higher rates under heavy insect pressure.

Dilution Rate: **By Ground Only:** Apply as a dilute spray (minimum of 200 gallons of finished spray per acre) or concentrate (minimum of 50 gallons of finished spray per acre).
For best control, thorough coverage is necessary.

Frequency/Timing of

Applications: Applications should be applied when populations reach locally determined economic thresholds. Consult the cooperative extension service, professional consultants or other qualified authorities to determine appropriate threshold levels for treatment in your area.
Do not apply more than 32 fl ozs (0.50 lbs ai) of **Bifenture EC Agricultural Insecticide**
For all Bifenthrin products used, do not apply more than a total of 0.50 lbs ai/acre per season.
Apply as necessary to maintain control using a minimum of 30-day spray intervals.
Do not apply this product until after petal fall.
Do not graze livestock in treated orchards or cut treated cover crops for feed.

Restricted Entry

Interval (REI): 12 hours

Pre-Harvest Interval

(PHI): 14 days

Restricted Use Pesticide: When used in New York, applications can only be made by certified applicators or by persons under their direct supervision and only for those uses covered by the certified applicators certification.

This exemption is effective June 29, 2017 **through** October 15, 2017 .